



Passion Fruit Lip Balm

with Omega 6 Ceramide Maracuja and Laurydone

ASTON LR100/13

Be passionate about this moisturising, caring lip balm with a passion fruit theme!

It contains Omega 6 Ceramide Maracuja, made from an Omega 6 fatty acid of passion flower, and Laurydone, an ester of L-PCA for long-term hydration.



Containing:

- **Omega 6 Ceramide Maracuja** – A ceramide containing an Omega 6 fatty acid from passion flower, used for restoring and maintaining the skin barrier function.
- **Laurydone** – Lauryl Ester of L-PCA (L-Pyrrolidone Carboxylic Acid). Laurydone is a lipophilic PCA ester that has a dual moisturising action from formation of a film on the skin's surface and release of L-PCA over time.
- **Dermol DGDIS** – A non-greasy, vegetable-derived emollient that exhibits substantive emolliency, lustre and sheen.

Passion Fruit Lip Balm

with Omega 6 Ceramide Maracuja and Laurydone

ASTON LR100/13



PHASE	INGREDIENT	SUPPLIER	%	COMPOSITION	FUNCTION
A	PERFORMALENE 400	Aston/ New Phase	10.00	Polyethylene	Provides structure
A	PERFORMA V6038	Aston/ New Phase	29.30	Synthetic Wax	Non-tacky, film forming emollient that provides high gloss
A	SW50EY	Aston/ Kobo	0.20	Synthetic Wax, CI 77492 (Yellow Iron Oxide), Isopropyl Titanium Triisostearate	Dispersion containing 50% surface treated Yellow Iron Oxide in liquid Synthetic Wax.
B	DERMOL DGDIS	Aston/ Alzo	20.00	Polyglyceryl-2 Diisostearate	Non-greasy, vegetable-derived emollient that exhibits substantive emolliency, lustre and sheen.
B	LIPEX L'SENS	AAK	10.00	Soybean Glycerides, Butyrospermum Parkii (Shea) Butter Unsaponifiables	Polar semi-solid vegetable oil with a unique combination of soy glycerides and shea butter unsaponifiables. It has lanolin-like properties.
B	BEANTREE	Aston/ Alzo	18.30	Methylheptyl Isostearate	Ecocert approved, plant derived emollient ester. It is a low viscosity, clear liquid that feels similar to volatile silicones.
B	LIPEX 205	AAK	5.00	Butyrospermum Parkii (Shea) Butter	Liquid shea butter, for ease of formulation, with an enriched content of bioactive triterpene esters.
B	LIPEX PRACT	AAK	5.00	Canola Oil	Bioactive Canola oil with anti-oxidative natural tocopherols (vitamin E) and anti-inflammatory phytosterols.
B	LAURYDONE	Aston/ Solabia	1.00	Lauryl PCA	Lipophilic PCA ester that has a dual moisturising action from formation of a film on the skin's surface and release of L-PCA over time.
B	OMEGA 6 CERAMIDE MARACUJA	Aston/ Solabia	0.50	Passiflora Edulis Seed Oil / Palm Oil Aminopropanediol Esters	Ceramide with Omega 6 fatty acid from Passionflower for restoring/maintaining the skin barrier function
C	SYNCRYSTAL SPRING GOLD	Eckart	0.20	Synthetic Fluorphlogopite, CI 77491 (Red Iron Oxide), CI 77891 (Titanium Dioxide), Tin Oxide	Spring gold pearlescent pigment based on a synthetic Fluorphlogopite substrate with average particle size 10-50 microns.
C	PASSIONFRUIT FLAVOUR	Aston/ Premier Specialties	0.50	Flavour	Passionfruit flavour

METHOD

- 1) Add a thin layer of cyclomethicone to the lipstick mold and wipe off excess.
- 2) Combine As and mix, then heat to 80-85°C with mixing until melted and homogeneous.
- 3) Add Bs and mix carefully with re-heating until a homogeneous solution is achieved.
- 4) Add Cs and mix until fully dispersed.
- 5) Pour into the lipstick mold and place in the fridge for several hours before placing into componentry.

This information is given in good faith and intended to be helpful. However, no warranty or guarantee of any kind is given or implied. Aston Chemicals Ltd does not warrant suitability for use.

