



# Reptile Rough to Silky Soft Face Pack

ASTON LR137/13

Have fun with this creative face pack, which dries in a novel way to make your skin look “reptile rough”!

As well as the entertainment value, this mask also gently exfoliates your skin for a brighter, smoother look.

Apply generously to the face and leave on the skin for 15-20 minutes. The mask will give a fun “reptile-like” appearance as it dries, and will leave your skin looking radiant and feeling silky soft after rinsing.



Containing:

- **Exfogreen of Bambo Manna** – Natural exfoliating scrub from the tears of Bamboo with a particle size of less than 400 microns. The tears of Bamboo are rich in Silica.
- **Gs-PPYS** – Glycosphere delivery system that provides protection and enhanced stability of hydrophilic and lipophilic active ingredients. Gs-PPYS contains the enzyme Papain.
- **Moonshine Ultra Golden Yellow Shimmer** – Pearlescent gold pigment based on a transparent Borosilicate substrate with a particle size of 20-100 microns.

# Reptile Rough to Silky Soft Face Pack

ASTON LR137/13



PHASE	INGREDIENT	SUPPLIER	%	COMPOSITION	FUNCTION
A1	<b>D. I. WATER</b>		59.00	Aqua	Solvent.
A1	<b>OPTIGEL CK-XR</b>	BYK	18.00	Bentonite	Mineral powder that forms a 'house of cards' structure in water to impart structure and stability. Feels soft on the skin.
A2	<b>CITRIC ACID, 20% SOLUTION</b>		6.00	Aqua, Citric Acid	pH adjuster.
B	<b>GS-PPYS</b>	Aston/ Kobo	0.50	Aqua, Palmitoyl Hydroxypropyl Trimonium Amylopectin/Glycerin Crosspolymer, Papain, Lecithin	Glycospheres containing the enzyme Papain. Glycospheres are a delivery system that provides protection and enhanced stability of both hydrophilic and lipophilic active ingredients.
B	<b>MOONSHINE ULTRA GOLDEN YELLOW SHIMMER</b>	Aston/ Glassflake	0.50	Calcium Aluminum Borosilicate, CI 77891 (Titanium Dioxide), CI 19140 (Yellow 5), Tin Oxide	Pearlescent pigment based on a transparent Borosilicate substrate.
B	<b>FRAGRANCE</b>		0.10	Parfum	Green tea fragrance.
B	<b>EUXYL PE 9010</b>	Schülke & Mayr	0.70	Phenoxyethanol, Ethylhexylglycerin	Preservative.
B	<b>0.5% BLUE 1 IN WATER</b>		0.20	Aqua, CI 42090	Blue dye that contributes to green colour of formulation.
B	<b>EXFOGREEN OF BAMBOO MANNA</b>	Aston/ Solabia	2.00	Bambusa Arundinacea Stem Powder	Natural exfoliating scrub from the tears of Bamboo with a particle size of less than 400 microns. The tears of Bamboo are rich in Silica.
C	<b>IMERCARE 20P</b>	Imerys	13.00	Perlite	Natural mineral powder with an average particle size of 20 microns. It gives great transparency and a mattifying effect on the skin.

## METHOD

- 1) Combine A1s and homogenise at high shear (e.g. 8,000 rpm on a Silverson) for 10 minutes.
- 2) Adjust pH to around pH 6.5 using A2.
- 3) Add Bs and mix until homogeneous (do not use high shear).
- 4) Add C and paddle stir until a homogeneous paste has formed.

